Exhibit Q

FOR OFFICIAL USE ONLY

(This slide UNCLASSIFIED)

Cellular Threats

Briefing for the Federal Mobile Technology Forum

Hosted by Federal CIO Council's Mobile Technology Tiger Team (MTTT)

6 February 2018

(b)(6); (b)(7)(C)

(b)(6); (b)(7)(C)

(b)(6); (b)(7)(C)



National Coordinating Center for Communications (NCC)
National Cybersecurity & Communications
2020-ICLI-00013 1138
Integration Center (NCCIC)

National Cybersecurity & Communications Integration Center (NCCIC)

Department of Homeland Security (DHS)

National Protection & Programs Directorate (NPPD)

Office of Cybersecurity & Communications (CS&C)

National Cybersecurity & Communications Integration Center (NCCIC)


The NCCIC mission is to reduce the likelihood and severity of incidents that may significantly compromise the security and resilience of the nation's critical information technology and communications networks.



National Coordinating Center for Communications

- NCC is a joint government and industry partnership that coordinates efforts to protect, restore, and reconstitute communications infrastructures
- White House designated the NCC as the Information Sharing & Analysis Center (ISAC) for communications
- The NCC facilitates the exchange of vulnerability, threat, and mitigation information amongst government and industry partners

Mobile Ecosystem & the focus of this brief




U 12020-1615-50018 1040

What is SS7?

- Signaling System 7 is the set of protocols and systems used worldwide for:
 - Establishing/managing phone calls on landline and 2G/3G phones
 - Enabling Short Message Service (SMS) text messaging
 - Supports services like: 800 numbers, number portability, calling cards
- 5+ billion people use SS7; U.S. carriers use billions of SS7 messages/day
 - Issue 1: SS7 <u>assumes trust</u> between phone carriers worldwide
 - Issue 2: Many "bad actors" / "phone hackers" have access to SS7
 - Issue 3: Limited security controls are in place to prevent SS7 exploits
- ~ 7.7 billion cell phone subscriptions (world pop = 7.6 B!)
 SS7 has more users than Internet*, but is less secure!
 Significant, undetected exploits are possible



* 2017 ITU estimate: 3.5 billion Internet users worldwide



2008 - 2016: Examples of SS7 risks in media

- 2008: Chaos Communications Congress (CCC) Tobias Engel: "Locating Mobile Phones using Signalling System #7" https://events.ccc.de/congress/2008/Fahrplan/attachments/1262 25c3-locating-mobile-phones.pdf
- 2011: CCC Karsten Nohl Exploiting calls + SMS* https://www.youtube.com/watch?v=ZrbatnnRxFc
- 2013: K. Nohl on SIM* risks http://michaelkreil.github.io/30c3-slides/slides_jpeg/saal1/2013-12-27T17-25-51.jpg
- 2014: Year of more detailed risk explanations to public greater focus at CCC
 - August Washington Post: "For sale: Systems that can secretly track where cellphone users go around the globe" <a href="https://www.washingtonpost.com/business/technology/for-sale-systems-that-can-secretly-track-where-cellphone-users-go-around-the-globe/2014/08/24/f0700e8a-f003-11e3-bf76-447a5df6411f_story.html
 - December CCC (31c3) had three talks on cell phone SS7 related vulnerabilities
 - ZDNet "Invasive phone tracking: New SS7 research blows the lid off mobile security"
 www.zdnet.com/article/invasive-phone-tracking-new-ss7-research-blows-the-lid-off-personal-security/
- 2015: 60 Minutes Australia's episode on SS7 and IMSI*-catcher risks

 www.news.com.au/technology/gadgets/the-end-of-privacy-as-we-know-it-60-minutes-uncovers-huge-mobile-phone-security-vulnerabilities/story-fn6vihic-1227485884359
- 2016: 60 Minutes "Hacking Your Phone" episode aired in USA (aired 4/17/16)
 - Daily Beast reporting/reaction on SS7 phone issues and A/S Ozment's hearing www.thedailybeast.com/articles/2016/04/23/here-s-why-anyone-could-hack-your-phone.html



^{*} SMS = Short Message Service IMSI = International Mobile Subscriber Identity
SIM = subscriber identity module or subscriber identification module [see slide notes for more details]

2014: SS7 risk awareness – SS7Map Global Risk

SS7Map assessed how well cellphone companies were safeguarding subscriber data. The US was classified as a "medium risk".



Global risk

Mobile Telecom Operators security level from the perspective of anyone on the international SS7 network. Combines Privacy Leaks and Network Exposure.

Privacy Leaks

>> More details

How much the operators of a given country are leaking out privacy data such as location of their subscribers or IMSI to anyone on the SS7 network.

Any operator and many company offering location / SMS services can gather these informations.

Network Exposure

Network Elements exposed on the international SS7 Network. Shows the attack



[Note: P1 Security (a French firm) produced this map; see http://ss7map.p1sec.com]

2015 threat example: OPM data breach

- Office of Personnel Management (OPM) data breaches impacted those who applied for clearances along with their associates (over 21 million people's personal data compromised)
- Compromised data included:
 - Age and Address
 - Relationships
 - Home/work phone numbers
 - Cell phone numbers



- In 2015, Chinese government arrested some hackers it says were connected to the breach of OPM's database
- In 2017, the FBI arrested a Chinese national connected to the Sakura malware used in the OPM data breach



(b)(7)(E)

Reported 2015 SS7 anomalous traffic Possibly related to OPM breach

PECARE 168-16		



Note: This is preliminary data and does not represent all suspicious SS7 traffic that occurred during the summer of 2015

2016 GSMA brief on SS7 Interconnect Security



Executive Summary

- Risks to operators and customers from exploitation of SS7-based security vulnerabilities have increased
- Driving factors:
 - More research & publicly available information
 - Increased SS7 network access



Results


- Inter-operator signalling connections and packets cannot be trusted
 - Ability to alter, inject, delete messages
- Surveillance potential attracted security agencies
 - Fraud potential is attracting criminals
- Some legacy issues have been taken forward to Diameter security for 4G (LTE/IMS)



Increased Risk: Contributing Factors

- SS7 designed without access authentication or integrity protection
- Access easy to obtain
 - Some entities providing SS7 access to others without due diligence, protection or monitoring
- Uncontrolled Global Title leasing
- Unsecured network equipment
- Network misconfiguration causing suspicious traffic
- Lack of home routing deployment
- Inadequate filtering capabilities available & deployed





GSMA Recommendations to Mobile

- Start monitoring:
 - Received MAP messages
 - Messages from non-roaming partners
- Use Home Routing
 - Disrupt location tracking and IMSI discovery
- Filter Incoming Messages
 - Allow only necessary messages
 - Check support at MSC, HLR or



(b)(6); (b)(7)(C)

2016: Telenor incident / US networks have similar risks!

(b)(7)(E)	



Note: used by permission of source

FOR OFFICIAL USE ONLY

(b)(7)(E)	




	Case 1:19-cv-11311ISR	Document 32-17	Filed 06/26/20	Page 14 of 31	
(b)(7)(E)					\neg



11/7/2017

Cellular Threats

2016: Cell phone exploits advertised on the Internet: note ... this site is no longer available



From www.defentek.com:

"The *Infiltrator* is a ... solution for collecting, analyzing and presenting the status of any mobile user status & location. The *Infiltrator* gives a clear location and movement of anyone anywhere in the world. Even if the SIM card is switched out, we are actually tracking the handset thereafter. Additional modules allows to remotely activate the speaker on the handset and capture all of the surrounding conversation anywhere in the world where the hand set is located, and no matter how many times the SIM card is switched or replaced."



()(E)	
Homeland	



Note: used by permission of source

Cellular Threats

FOR OFFICIAL USE ONLY

(b)(7)(E)	
PARTA	Note: Devised/wood by powerisains at access
Homeland	Note: Derived/used by permission of source



April-May 2017: DHS Mobile Device Security Report

AdaptiveMobile Security Ltd can confirm, as a result of in-depth threat analysis on U.S. cellular networks that the U.S. is under continuous and consistent attack from other Nation-States attempting to surveil key U.S. personnel, and abuse data privacy/sovereignty of U.S. cellular subscribers.

- "Threats to the Government's use of mobile devices are real and exist across all elements of the mobile ecosystem."
- "Gaining unauthorized access to the core SS7 or Diameter network is a risk since there
 are tens of thousands of entry points worldwide, many of which are controlled by
 countries or organizations that support terrorism or espionage."
- "A number of threats against SS7 have been publicly described, including the ability to determine the physical location of cellular mobile devices, disrupt phone service from individual phones to entire networks, intercept or block SMS text messages, and redirect or eavesdrop on voice conversations."



March 2017: Congressional letter to DHS S1

"... According to published media reports, U.S. cellular phones can be tracked, tapped, and hacked ...

We are deeply concerned that the security of America's telecommunications infrastructure is not getting the attention it deserves...."



Dear Secretary Kelly:

For several years, cybersecurity experts have repeatedly warned that U.S. cellular communications networks are vulnerable to surveillance by foreign governments, hackers, and criminals exploiting vulnerabilities in Signaling System 7 (SS7). According to published media reports, U.S. cellular phones can be tracked, tapped, and hacked-by adversaries thousands of miles away-through SS7-enabled surveillance.

We are deeply concerned that the security of America's telecommunications infrastructure is not getting the attention it deserves. Although there have been a few news stories about this topic, we suspect that most Americans simply have no idea how easy it is for a relatively sophisticated adversary to track their movements, tap their calls, and hack their smartphones. We are also concerned that the government has not adequately considered the counterintelligence threat posed by SS7-enabled surveillance.

We understand that the Department of Homeland Security has been focusing on the SS7 threat for a number of years. As such, we would appreciate answers to the following questions by March 31, 2017.

- 1. Do you have any reason to doubt the significance of the SS7-enabled surveillance threat?
- 2. What resources has DHS allocated to identifying and addressing SS7-related threats? Are these resources sufficient to protect U.S. government officials and the private sector?
- 3. Have U.S. wireless carriers provided all necessary assistance in determining the extent to which their networks are vulnerable, and the extent to which SS7-enabled access to their cellular networks has been exploited by foreign adversaries?
- Congress has been sounding the alarm about SS7-enabled surveillance for nearly a year. What steps has DHS taken to make the public aware of these threats?

Sincerely,

United States Senato

Member of Congress

June 2017 - VolTE is vulnerable

BleepingComputer June 12, 2017 article:

"A team of researchers from French company P1 Security has detailed a long list of issues with the 4G VoLTE telephony, a protocol that has become quite popular all over the world in recent years and is currently in use in the US ...

VolTE stands for Voice Over LTE – where LTE stands for Long-Term Evolution and is a high-speed wireless communication for mobile phones and data terminals, based on older GSM technology.

Researchers say they identified both "active" vulnerabilities (that require modifying special SIP packets) and "passive" vulnerabilities (that expose data via passive network monitoring or do not require any SIP packet modification)."

Note: FirstNet uses VoLTE technology

Sources: (1) https://www.bleepingcomputer.com/news/security/hackers-can-spoof-phone-numbers-track-users-via-4g-volte-mobile-technology/

(2) P1 Security published "Subscribers remote geolocation and tracking using 4G VoLTE enabled Android phone" in June 2017. https://www.sstic.org/media/SSTIC2017/SSTIC-actes/remote_geolocation_and_tracing_of_subscribers_usin/SSTIC2017-Article-remote_geolocation_and_tracing_of_subscribers_using_4g_volte_android_phone-le-moal_ventuzelo_coudray.pdf



SACIIFITY

Cellular Threats

b)(7)(E)		



Note: used by permission of source



Note: used by permission of source

NCC Cellular Pilot Update: "Overwatch" in NCR



Sensors detect IMSI catchers

- NCC Pilot detects, characterizes, and geolocates legitimate and rogue cellular base stations (also known as IMSI catchers) in the **National Capital Region**
- Reportedly: "first and only strategic real-time IMSI catcher detection system"

L | 12020-00515000113 171 60





Threat 1: Low-cost rogue cellular base stations

Low-cost IMSI catcher for 4G/LTE networks tracks phones' precise locations

\$1,400 device can track users for days with little indication anything is amiss.

DAN GOODIN - 10/28/2015, 8:59 AM



"The equipment can cause all LTE-compliant phones to leak their location to within a 32- to 64-foot radius ... operating a rogue base station... total cost" ... about \$1,400

https://arstechnica.com/security/2015/10/low-cost-imsi-catcher-for-4glte-networks-track-phones-precise-locations/



* IMSI = International Mobile Subscriber Identity

Threat 2: Sophisticated rogue cellular base stations

• Example: (b)(7)(E)

record, & track cell phones/devices

- Range: hundreds of meters
- (b)(7)(E) also (b)(7)(E) "IMSI* catchers"



- Detect mobile phones & extract their identities (e.g. IMSIs)
- Can be wearable or used in cars or airborne platforms
- Can be used with direction finders
- Can also exploit phones on CDMA* networks and GSM* networks

Sources: (b)(7)(E) and other pages on that site



* CDMA = Code Division Multiple Access; GSM = Global System for Mobile Communications; IMSI = International Mobile Subscriber Identity;

NCC Rogue Cellular Pilot findings:

(b)(7)(E)

August 23, 2016: Detected likely IMSI catcher monitoring/tracking phones (b)(7)(E)

Potential IMSI catcher emulating an existing tower on (b)(7)(E)

(b)(7)(E)

Cellular Threats

Pilot findings – rogue cell in VA

	(b)(7)(E)
ı	
ı	
ı	
ı	
ı	
ı	
ı	
ı	
ı	
ı	
ı	



Cellular Threats

FOR OFFICIAL USE ONLY

Possi	bl	e	ros	zue	cel	1
		-	6	J ~ .		•

- 30 Aug 2017

(b)(7)(E)	



(b)(7)(E)		
(~)(,, /(=)		



Conclusions / General Way Ahead

•	Government &	industry	must continue to	work	together t	o addi	ress t	threats
---	--------------	----------	------------------	------	------------	--------	--------	---------

-	Tracking and monitoring of leaders, staff, and public; (b)(7)(E)		
(b)(7)(E)			

- Don't take cell phones into sensitive meetings (or use Faraday bags/boxes)
- · Users can mitigate their risks through exploit resilient end devices and Apps
- Can use phone service contracts that require SS7 monitoring/filtering/reporting
- Need sophisticated monitoring/filtering (b)(7)(E)



Need **comprehensive** monitoring/blocking of malicious traffic and trust based on **verification**